

Work Order ID 80646

February-24-12 3:24:36 PM

80646

Page 1

Item ID: D4436-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Outboard Bracket Assembly

Start Date: 24/02/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 15/03/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: M L J Date: 12/02/27 Tooling:Run Start ***NR1***

QC: Date: SPC (Y/N):

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D4436	A
-------	---

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut D4436-1 as per Dwg

Dwg Rev: AProg Rev: A

2-Deburr if necessary

B12-3-8

(10)

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

B12-3-9

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80646***80646***

Page 2

February-24-12 3:24:36 PM

Item ID: D4436-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Outboard Bracket Assembly

Start Date: 24/02/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 15/03/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00		5.17/03/09		(H)			
Quality Control									
130	Bend as per dwg	0.00							
130									
Brake NC	Memo	0.00		SB 12/03/09		(19)			
Brake NC									
140		0.00							
140									
Small Fab	Memo	0.00							
Small Fab	C"SINK AS PER DWG								

4.12/03/12 (10)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80646

February-24-12 3:24:36 PM

80646

Page 3

Item ID: D4436-043

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Outboard Bracket Assembly

Start Date: 24/02/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 15/03/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

150

QC5- Inspect part completeness to step on W/O

0.00

150

QC

Memo

0.00

5/26/12

ECO

Quality Control

160

Chemical Conversion Coat per QSI005 4.1

0.00

160

HandFinish

Memo

0.00

Hand Finishing

10XØ M-12/03/14

170

QC3- Inspect Part Finish

0.00

170

QC

Memo

0.00

10 & 12/02/14

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80646

February-24-12 3:24:36 PM

80646

Page 4

Item ID: D4436-043

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Aft Outboard Bracket Assembly

Stop

NS2

Start Date: 24/02/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 15/03/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180		0.00							
180									
Small Fab	Memo	0.00							
Small Fab	Assemble as per dwg, do not install rubber seal.								
185	QC5- Inspect part completeness to step on W/O	0.00							
185									
QC	Memo	0.00							
Quality Control									
190	Black Sandtex(Ref:4.3.5.7) per QSI005 4.3	0.00							
190									
Powdercoat	Memo	0.00							
Powder Coating	START TIME: 8h20 OVEN TEMPERATURE: 320°F FINISH TIME: 8h50								

SP12/03/15 (10)

8.21/03/15

(4/0)

10 & BR/20 12/03/20

M115128

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80646

February-24-12 3:24:36 PM

80646

Page 5

Item ID: D4436-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Outboard Bracket Assembly
 Start Date: 24/02/2012 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 15/03/2012 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
200	QC3- Inspect Part Finish	0.00							
200									
QC	Memo	0.00							
Quality Control									
202		0.00							
202									
Small Fab	Memo	0.00							
Small Fab	Install rubber seal as per dwg								
	3M 1300 batch: <u>M120225</u>								
205	QC5- Inspect part completeness to step on W/O	0.00							
205									
QC	Memo	0.00							
Quality Control									

10X Ø m 12/03/20

SB 12/05/20

10

10/3/20

10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80646

February-24-12 3:24:36 PM

80646

Page 6

Item ID: D4436-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Outboard Bracket Assembly
 Start Date: 24/02/2012 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 15/03/2012 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210	Identify as per dwg & Stock Location: <i>GL</i>	0.00							
210									
Packaging	Memo	0.00	<i>SB</i>	<i>12-03/20</i>		<i>(10)</i>			
Packaging									
220	QC21- Final Inspection - Work Order Release	0.00							
220									
QC	Memo	0.00							
Quality Control									

MCJ 12/03/20
CHF
12-03-20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

February-24-12 3:24:40 PM

Page 1

Work Order ID: 80646

80646

Parent Item: D4436-043

D4436-043

Parent Item Name: Aft Outboard Bracket Assembly

Start Date: 24/02/2012

Required Date: 15/03/2012

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP revA 11.10.06 new issue EC verified by:DD
12.01.24 PER DWG REV.A DD VERF:EC

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6S.040		Purchased	No			100	sf	294.9670	1.59	16.73684			

M6061T6S 040

6061-T6 .040 Sheet

**

1812-3-8

Location	Loc Qty	Loc Code
MAT021	294.967	
117653	27.91	
120154	90	
120218	177.057	

MS20426AD3-2

Purchased

No

180 Each

18,319.00

4

40

MS20426AD3-2

Rivet

**

Location	Loc Qty	Loc Code
Mezz	18319	
1173	8919	
13276	9400	

MS21075L08

Purchased

No

180 Each

364.0000

2

20

MS21075L 08

ANCHOR NUT

**

Location	Loc Qty	Loc Code
ST303	302	
111578	2	
120560	300	
ST304	62	
120121	62	

M120930
(20x)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

February-24-12 3:24:40 PM

Page 2

Work Order ID: 80646

80646

Parent Item: D4436-043

D4436-043

Parent Item Name: Aft Outboard Bracket Assembly

Start Date: 24/02/2012

Required Date: 15/03/2012

Start Qty: 10.00

Required Qty: 10.00

D4441-1

Manufactured No

202 f

24.7270

1.408

14.08

D4441-1

**

SB 12/03/20

Rubber Seal

Location

Loc Qty

Loc Code

prelim

24.727

74760

24.727

79388

14.08

cut qty 1 to 16.00"

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	PART NUMBER	DESCRIPTION
1	X	D4436-041	AFT BRACKET ASSEMBLY
2	1	D4435-043	BRACKET ASSEMBLY
3	1	D4436-043	AFT OUTBOARD BRACKET ASSEMBLY
4	1	D4436-045	AFT INBOARD BRACKET ASSEMBLY
5	1	D4440-1	GROMMET
6	4	AN525-832R6	SCREW



D4436-041 AFT BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.31 lbs
- 8) TORQUE SCREW TO 12-15 (in-lb)

A		NEW ISSUE		RF	12.01.17
REV.	DESCRIPTION			BY	DATE
DESIGN	RF			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF				
CHECKED	[Signature]			DRAWING NO.	REV. A
MFG. APPR.	[Signature]			D4436	SHEET 1 OF 7
APPROVED	[Signature]			TITLE	SCALE
DE APPR.	[Signature]			COVER ASSEMBLY	NTS
DATE		12.01.17		COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

UNCONTROLLED
 NO - 80646 M.L.J
 12/02/27

RELEASED
 12 2012-01-23
 MJP

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4436-043	AFT OUTBOARD BRACKET ASSEMBLY
2	1	D4436-1	BRACKET
3	1	D4441-1-160	RUBBER SEAL
4	4	MS20426AD3-2	RIVET
5	2	MS21075L08	NUT PLATE
6	A/R	3M 1300/1300L	ADHESIVE



D4436-043 AFT OUTBOARD BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANTEX" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.78 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL.
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D4436	REV. A
MFG. APPR.	RF		SHEET 2 OF 7
APPROVED	RF	TITLE COVER ASSEMBLY	SCALE NTS
DE APPR.	RF	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.01.17		

80646

2012-01-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -045	PART NUMBER	DESCRIPTION
1	X	D4436-045	AFT INBOARD BRACKET ASSEMBLY
2	1	D4436-3	BRACKET
3	1	D4441-1-038	RUBBER SEAL
4	1	D4441-1-100	RUBBER SEAL
5	4	MS20426AD3-2	RIVET
6	2	MS20470AD4-3	RIVET
7	2	MS21075L08	NUT PLATE
8	1	MS35489-19	GROMMET
9	A/R	3M 1300/1300L	ADHESIVE



D4436-045 AFT INBOARD BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.42 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE,
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL.
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	RF	D4436	SHEET 3 OF 7
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	COVER ASSEMBLY	NTS
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

gob46

RELEASED
2012-01-23
MP




Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



20046

D4436-1 BRACKET

RELEASE
2012-01-23

NOTES:

- 1) MATERIAL: MAKE FROM D4436-1F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.69 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4436	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 4 OF 7	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	COVER ASSEMBLY	NTS
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DETAIL A C6-6
SCALE 4X, TYP



D4436-1F FLAT PATTERN

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.69 lbs

RELEASED
2012-07-23
JMP

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JF	DRAWING NO.	REV. A
MFG. APPR.	JF	D4436	SHEET 5 OF 7
APPROVED	JF	TITLE	SCALE
DE APPR.	JF	COVER ASSEMBLY	NTS
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



80646

D4436-3 BRACKET

RELEASE
12 2012-01-23

NOTES:

- 1) MATERIAL: MAKE FROM D4436-3F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.33 lbs
- 8) TRANSFER $\varnothing 0.129$ HOLES THRU 2 PLACES

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4436	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 6 OF 7	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	COVER ASSEMBLY	
DATE	12.01.17	NTS	

COPYRIGHT © 2012 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4436-3F FLAT PATTERN

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.33 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D4436	REV. A
MFG. APPR.	RF	SHEET 7 OF 7	
APPROVED	RF	TITLE COVER ASSEMBLY	SCALE NTS
DE APPR.	RF	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
DATE	12.01.17	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries